

Dr. Jianwen Fang

Computational Biologist, Computational & Systems Biology Branch
Division of Cancer Treatment and Diagnosis
National Cancer Institute
9609 Medical Center Dr., Rm. 5W632
Rockville, MD 20850
U.S.A.
Tel: (240) 276-7672
Email: jianwen.fang@nih.gov

Publications (updated on Aug 1st, 2019)

102. **Fang JW***, A Critical Review of five Machine Learning Algorithms for Predicting Protein Stability Changes upon Mutations. *Briefings in Bioinformatics* (2019), bbz071, <https://doi.org/10.1093/bib/bbz071>

101. Evans DM, **Fang JW**, Silvers T, Delosh R, Laudeman J, Ogle C, Reinhart R, Selby M, Bowles L, Connelly J, Harris E, Krushkal J, Rubinstein L, Doroshow JH, Teicher BA*. EXPOSURE TIME VERSUS CYTOTOXICITY FOR ANTICANCER AGENTS, *Cancer Chemother Pharmacol* (2019) 84: 359. <https://doi.org/10.1007/s00280-019-03863-w>

100. Monks A, Zhao Y, Hose C, Hamed H, Krushkal J, **Fang JW**, Sonkin D, Palmisano A, Polley E, Fogli L, Konate M, Miller S, Simpson M, Voth A, Li M-C, Harris E, Wu X, Connelly J, Rapisarda A, Teicher B, Simon R, Doroshow JH*. The NCI Transcriptional Pharmacodynamics Workbench: a tool to examine dynamic expression profiling of therapeutic response in the NCI-60 cell line panel. *Cancer Research*, 78: 6807-6817, 2018.
[DOI:10.1158/0008-5472.CAN-18-0989](https://doi.org/10.1158/0008-5472.CAN-18-0989)

99. Lei J., Wang SL., **Fang JW**. (2018) Combining mRNA, microRNA, Protein Expression Data and Driver Genes Information for Identifying Cancer-Related MicroRNAs. *Intelligent Computing Theories and Application. ICIC 2018. Lecture Notes in Computer Science.* 289-300. https://link.springer.com/chapter/10.1007/978-3-319-95933-7_36.

98. **Fang, JW***, Tightly Integrated Genomic and Epigenomic Data Mining Using Tensor Decomposition, *Bioinformatics* (2018), 35 (1), 112-118.
<https://doi.org/10.1093/bioinformatics/bty513>

97. Luo D, Wang SL*, **Fang JW**, Zhang W. MIMPF: Identifying miRNA–mRNA regulatory modules by combining phase-only correlation and improved rough-fuzzy clustering, *Journal of bioinformatics and computational biology* (2018), 16 (01), 1750028.
<https://doi.org/10.1142/S0219720017500287>

96. Bender J, **Fang JW**, Simon R*. A computational study of the inhibition mechanisms of P-glycoprotein mediated paclitaxel efflux by kinase inhibitors. *BMC Systems Biology* (2017) 11:108. <https://rdcu.be/bM29j> (co-first author)

95. Luo D, **Wang SL***, **Fang JW**: Combining Gene Expression and Interactions Data with miRNA Family Information for Identifying miRNA-mRNA Regulatory Modules. *ICIC* (2) 2017: 311-322.
94. Wang Y*, **Fang JW**, Chen S. Inference of drug responses in cancer cells from cancer genomic features and compound chemical and therapeutic properties. *Scientific Reports* 6, Article number: 32679 (2016) (co-first author). <https://www.nature.com/articles/srep32679>
93. Wang SL*, Jin Li J, **Fang JW**. Predicting Progression of ALS Disease with Random Frog and Support Vector Regression Method. *ICIC* (3) 2016: 160-170.
92. Wahome N, Sully E, Singer C, Thomas JC, Hu L, Joshi SB, Volkin DB, **Fang JW**, Karanicolas J, Jacobs DJ, Mantis NJ, Middaugh CR*. Novel Ricin Subunit Antigens With Enhanced Capacity to Elicit Toxin-Neutralizing Antibody Responses in Mice.. *J Pharm Sci*. 2016 Mar 14. pii: S0022-3549(16)00364-6.
91. **Fang JW***. Reliability of Machine Learning Based Algorithms for Designing Protein Drugs with Enhanced Stability. *Drug Des* 4:e130, 2015. (editorial)
90. Saeedipour S, Tai D, **Fang JW***: ChemCom: A Software Program for Searching and Comparing Chemical Libraries. *Journal of Chemical Information and Modeling* 55(7): 1292-1296 (2015). <https://doi.org/10.1021/ci500713s>
89. Chen F, Wang SL*, **Fang JW**: Spectral Clustering of High-Dimensional Data via k-Nearest Neighbor Based Sparse Representation Coefficients. *ICIC* (3) 2015: 363-374.
88. Wang SL*, Chen F, **Fang JW**: Spectral clustering of high-dimensional data via Nonnegative Matrix Factorization. *IJCNN* 2015: 1-8.
87. Wang SL*, Sun LC, and **Fang FW***. Molecular cancer classification using a meta-sample-based regularized robust coding method. *BMC Bioinformatics* 2014, 15(Suppl 15):S2.
86. Zhan L, Liu HX, Fang Y, Kong B, He Y, Zhong X, **Fang JW**, Wan YJY*. Genome-Wide Binding and Transcriptome Analysis of Human Farnesoid X Receptor in Primary Human Hepatocytes. *PloS one*, 2014, 9 (9), e105930. <https://doi.org/10.1371/journal.pone.0105930>
85. Fang JP, Gao S, Tai D, Middaugh CR, **Fang JW***. Identification of properties important to protein aggregation using feature selection. *BMC Bioinformatics* 2013, 14:314. <https://doi.org/10.1186/1471-2105-14-314>.
84. Dasouki MJ*, Rafi SK, Olm-Shipman AJO, Wilson NR, Abhyankar S, Ganter B, Furness LM, **Fang JW**, Calado RT, and Saadi I*. Exome sequencing reveals a thrombopoietin ligand mutation in a Micronesian family with autosomal recessive aplastic anemia. *Blood* 122, no. 20 (2013): 3440-3449. <https://doi.org/10.1182/blood-2012-12-473538>

83. He YQ, Gong L, Fang YP, Zhan Q, Liu HX, Lu YL, Guo GL, Lehman-McKeeman L, **Fang JW**, and Wan YY*. The role of retinoic acid in hepatic lipid homeostasis defined by genomic binding and transcriptome profiling. *BMC genomics* 14, no. 1 (2013): 575. <https://doi.org/10.1186/1471-2164-14-575>
82. Hanzlik RP*, Koen YM, and **Fang JW**. Bioinformatic Analysis of 302 Reactive Metabolite Target Proteins. Which Ones Are Important for Cell Death?. *Toxicological Sciences* 135, no. 2 (2013): 390-401. <https://doi.org/10.1093/toxsci/kft166>
81. Fang YP, Wang XK, Michaelis EK, and **Fang JW***. (2013). Classifying aging genes into DNA repair or non-DNA repair-related categories. In *Intelligent Computing Theories and Technology* (pp. 20-29). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-39482-9_3
80. Wang SL, Fang YP and **Fang JW***. (2013). A Simple but Robust Complex Disease Classification Method Using Virtual Sample Template. In *Emerging Intelligent Computing Technology and Applications* (pp. 73-80). Springer Berlin Heidelberg.
79. Wang SL, Fang YP and **Fang JW***. (2013). Diagnostic prediction of complex diseases using phase-only correlation based on virtual sample template. *BMC Bioinformatics*, 14(8), 1-11.
78. Thomas AM, Hart SN, Li GD, Lu H, Fang YP, **Fang JW**, Zhong XB, and Guo GL*. Hepatocyte Nuclear Factor 4 Alpha and Farnesoid X Receptor Co-regulates Gene Transcription in Mouse Livers on a Genome-Wide Scale. *Pharmaceutical research* (2013): 1-11. <https://doi.org/10.1007/s11095-013-1006-7>
77. Hu Y, Liu HX, He YQ, Fang YP, **Fang JW**, and Wan YY*. Transcriptome profiling and genome-wide DNA binding define the differential role of fenretinide and all-trans RA in regulating the death and survival of human hepatocellular carcinoma Huh7 cells. *Biochemical pharmacology*. 2013 Apr 1;85(7):1007-17. <https://doi.org/10.1016/j.bcp.2013.01.023>
76. Fang YP, and **Fang JW***. Discrimination of soluble and aggregation-prone proteins based on sequence information. *Mol. BioSyst.* 9, no. 4 (2013): 806-811. <https://doi.org/10.1039/c3mb70033j>
75. Liu HX, Fang YP, Hu Y, Gonzalez FJ, **Fang JW**, and Wan YY*. PPAR β Regulates Liver Regeneration by Modulating Akt and E2f Signaling. *PLOS ONE* 8, no. 6 (2013): e65644. <https://dx.doi.org/10.1371/journal.pone.0065644>
74. Thomas JC, O'Hara JM, Hu L, Gao FP, Joshi SB, Volkin DB, Robert N. Brey RN, **Fang JW**, Karanicolas J, Mantis NJ, and Middaugh CR*. Effect of single-point mutations on the stability and immunogenicity of a recombinant ricin chain subunit vaccine antigen. *Human Vaccines & Immunotherapeutics* 9:4, 1-9; April 2013. <https://doi.org/10.4161/hv.22998>

73. Fang YP, Liu HX, Zhang N, Guo G, Wan YY, **Fang JW***. NURBS: A Database of Experimental and Predicted Nuclear Receptor Binding Sites. 2013 Jan 15; 29(2):295-7. <https://dx.doi.org/10.1093%2Fbioinformatics%2Fbts693>
72. Zhan Q, Fang YP, He YQ, Liu HX, **Fang JW***, Wan YY*. Function annotation of hepatic retinoid x receptor α based on genome-wide DNA binding and transcriptome profiling. *PLoS ONE*. 2012. 7(9): e50013. <https://doi.org/10.1371/journal.pone.0050013>
71. Gao S, Xu S, Fang YP, **Fang JW***. Prediction of Core Cancer Genes Using Multitask Classification Framework. *J Theor Biol*. 2012, 317, 62-70. <https://doi.org/10.1016/j.jtbi.2012.09.027>
70. Li Y, **Fang JW***. PROTS-RF: A Robust Model for Predicting Mutation Induced Protein Stability Change. *PLoS ONE*, 2012. 7(10): e47247. <https://dx.doi.org/10.1371%2Fjournal.pone.0047247>
69. Fang YP, Middaugh CR, **Fang JW***. In silico classification of proteins from acidic and neutral cytoplasms. *PLoS ONE*. 2012. 7(9): e45585. <https://doi.org/10.1371/journal.pone.0045585>
68. Tai D and **Fang JW***. SymDex: Increasing the Efficiency of Chemical Fingerprint Similarity Searches for Comparing Large Chemical Libraries by Using Query Set Indexing. *J. Chem. Inf. Model*. 2012, 52 (8), 1926–1935. <https://doi.org/10.1021/ci200606t>
67. Wang SL, Li XL, **Fang JW***. Finding minimum gene subsets with heuristic breadth-first search algorithm for robust tumor classification. *BMC Bioinformatics* 2012, **13**:178. <https://doi.org/10.1186/1471-2105-13-178>
66. Gao S, Xu S, Fang YP, **Fang JW***. Using multitask classification methods to investigate the kinase-specific phosphorylation sites. *Proteome Science* 2012, 10 (Suppl 1):S7. <https://doi.org/10.1186/1477-5956-10-S1-S7>
65. Li Y, Zhang J, Tai D, Middaugh CR, Zhang Y, **Fang JW***. PROTS: a Fragment Based Protein Thermo-Stability Potential. *Proteins: Structure, Function, and Bioinformatics*. 2012, 80, 1, 81-92. <https://doi.org/10.1002/prot.23163>
64. Gao S, Xu S, **Fang JW***. Predicting Kinase-specific Phosphorylation Sites Using a Multitask Classification Framework. Proceedings of 2011 IEEE International Conference on Bioinformatics and Biomedicine (BIBM 2011), Atlanta GA, 12-15 Nov 2011. 257-260.
63. Gao S, **Fang JW***. Identification of Properties Important to Signal Peptides and Signal Anchors Using Feature Selection. *2011 International Conference on Computational Biology and Bioinformatics(CBB2011)*, Shanghai China, 28-30 October, 2011.

62. Li Y, Fang YP, **Fang JW***. Predicting Residue-Residue Contacts Using Random Forest Models. *Bioinformatics*. 2011, 27(24), 3379-3384. <https://doi.org/10.1093/bioinformatics/btr579>
61. Tai D, Chaguturu R, **Fang JW***. K-Screen: A Free Application for High Throughput Screening Data Analysis, Visualization, and Laboratory Information Management. *Comb Chem High Throughput Screen*. 2011, 14, 9, 757-765. <https://doi.org/10.2174/138620711796957116>
60. **Fang JW***, Tai D. Evaluation of Mutual Information, Genetic Algorithm and SVR for Feature Selection in QSAR Regression. *Curr Drug Discov Technol*. 2011 Jun 1;8(2):107-11. <https://doi.org/10.2174/157016311795563839>
59. Yang JW*, Hutchinson IV, Shah T, **Fang JW**, Min DI. Gene polymorphism of vascular endothelial growth factor -1154 G>A is associated with hypertensive nephropathy in a Hispanic population. *Mol Biol Rep*. 2011; 38:2419-2425. <https://doi.org/10.1007/s11033-010-0376-8>
58. Cai S, **Fang JW***, Li QS, Borchardt RT, Kuczera K, Middaugh CR, and Schowen RL. Comparative kinetics of cofactor association and dissociation for the human and trypanosomal S-adenosylhomocysteine hydrolases. 3. The role of lysyl and tyrosyl residues of the C-terminal extension. *Biochemistry*, 2010 Sep 28;49(38):8434-41. <https://doi.org/10.1021/bi1007595>
57. Jiang L, **Fang JW**, Moore DS, Gogichaeva NV, Galeva NA, Michaelis ML, Zaidi A*. Age-associated changes in synaptic lipid raft proteins revealed by two-dimensional fluorescence difference gel electrophoresis. *Neurobiol Aging*. 2010 Dec; 31(12):2146-59. <https://doi.org/10.1016/j.neurobiolaging.2008.11.005>
56. Li Y, **Fang JW.*** Distance-dependent statistical potentials for discriminating thermophilic and mesophilic proteins. *Biochem. Biophys. Res. Commun*. 396, 3, 736-741, 2010. <https://dx.doi.org/10.1016%2Fj.bbrc.2010.05.005>
55. Li Y, Middaugh CR, **Fang JW.*** A novel scoring function for discriminating hyperthermophilic and mesophilic proteins with application to predicting relative thermostability of protein mutants. *BMC Bioinformatics*. 2010 Jan 28;11(1):62. <https://doi.org/10.1186/1471-2105-11-62>
54. Thomas AM, Hart SN, Kong B, **Fang JW**, Zhong XB, Guo GL. Genome-wide tissue-specific farnesoid X receptor binding in mouse liver and intestine. *Hepatology*. 51, 4, 1410-1419, 2009. <https://doi.org/10.1002/hep.23450>
53. Cai S*, Li QS, **Fang JW**, Borchardt RT, Kuczera K, Middaugh CR, and Schowen RL. The Rationale for Targeting the NAD/NADH Cofactor Binding Site of Parasitic S-Adenosyl-L-Homocysteine Hydrolase for the Design of Anti-Parasitic Drugs. *Nucleosides Nucleotides & Nucleic Acids*. 28, 5-7, Special Issue, 485-503, 2009. <https://doi.org/10.1080/15257770903051031>
52. Li QS*, Cai S, **Fang JW**, Borchardt RT, Kuczera K, Middaugh CR, and Schowen RL. Evaluation of NAD(H) Analogues as Selective Inhibitors for Trypanosoma Cruzi S-

Adenosylhomocysteine Hydrolase. *Nucleosides Nucleotides & Nucleic Acids*. 28, 5-7, Special Issue, 473-484, 2009. <https://doi.org/10.1080/15257770903044572>

51. Liu S, Tang W, **Fang JW**, Ren J, Li H, Xiao Z, Quarles LD*. Novel Regulators of Fgf23 Expression and Mineralization in Hyp Bone. *Mol Endocrinol*. 2009 Sep; 23(9):1505-18. <https://doi.org/10.1210/me.2009-0085>

50. **Fang JW**, Koen YM, Hanzlik RP*. Bioinformatic analysis of xenobiotic reactive metabolite target proteins and their interacting partners. *BMC Chem Biol*. 2009 Jun 12;9(1):5. <https://dx.doi.org/10.1186%2F1472-6769-9-5>

49. Hanzlik RP*, **Fang JW**, Koen YM. Filling and mining the reactive metabolite target protein database. *Chem Biol Interact*. 2009 Apr 15;179(1):38-44. <https://doi.org/10.1016/j.cbi.2008.08.016>

48. Chen DC, **Fang JW**, Yu JW. "Predicting Blood-Brain Barrier Penetration by Stochastic Discrimination". *Proceedings of 2008 International Conference on BioMedical Engineering and Informatics (BMEI 2008)*, May 28-30, 2008, Sanya, Hainan, China.

47. Li QS, Cai S, **Fang JW**, Borchardt RT, Kuczera K, Middaugh CR, and Schowen RL*. Comparative kinetics of cofactor association and dissociation for the human and trypanosomal S-adenosylhomocysteine hydrolases. 2. The role of helix 18 stability. *Biochemistry*. 47(17), 4983-91, 2008. <https://doi.org/10.1021/bi800175g>

46. Tubb MT, Silva AGD, **Fang JW**, Tso P, Davidson WS*. A three-dimensional homology model of lipid-free apolipoprotein A-IV using cross-linking and mass spectrometry. *J. Biol. Chem*. 283(25):17314-23, 2008. <https://doi.org/10.1074/jbc.M800036200>

45. Silva RA, Huang R, Morris J, **Fang JW**, Gracheva EO, Ren G, Kontush A, Jerome WG, Rye KA, Davidson WS. Structure of apolipoprotein A-I in spherical high density lipoproteins of different sizes. *Proc Natl Acad Sci U S A*. 2008 Aug 26;105(34):12176-81. <https://doi.org/10.1073/pnas.0803626105>

44. Hu C, Fang JW, Borchardt RT, Schowen RL, Kuczera K. Molecular dynamics simulations of domain motions of substrate-free S-Adenosyl-L-homocysteine hydrolase in solution. *PROTEINS: Structure, Function, and Bioinformatics*. 71(1), 131-143, 2008. <https://doi.org/10.1002/prot.21664>

43. **Fang JW***, Dong YH, Salamat-miller N, Middaugh CR. DB-PABP: a database of polyanion binding proteins. *Nucleic Acid Research*. 36(Database issue):D303-D306, 2008. <https://doi.org/10.1093/nar/gkm784>

42. **Fang JW***, Dong YH, Williams TD, Lushington GH. Feature selection in validating mass spectrometry database search results. *Journal of Bioinformatics and Computational Biology*. 6(1):223-40. 2008. <https://doi.org/10.1142/S0219720008003345>

41. Theerthama B, Wang JL, **Fang JW**, and Lushington GH. Novel algorithms for the identification of biologically informative chemical diversity metrics. *Current Computer-Aided Drug Design*. 4(1): 23-34, 2008. <https://doi.org/10.2174/157340908783769292>
40. Chen XW*, Han B, **Fang JW**, Haasl RJ. A new kernel method for large-scale protein-protein interaction prediction. *Int. J. Data Mining and Bioinformatics*. 2(2):145-56. 2008. <https://doi.org/10.1504/IJDMB.2008.019095>
39. **Fang JW**, Grzymala-Busse JW. Predicting Penetration Across the Blood-Brain Barrier - a Rough Set Approach. *Proceedings of 2007 IEEE International Conference on Granular Computing, IEEE Computer Society Press*, pp. 231-236. <https://doi.org/10.1109/GrC.2007.110>
38. Wickstrum JR, Skredenske JM, Kolin A, Jin DJ, **Fang JW**, Egan SM. Transcription Activation by the DNA-Binding Domain of the AraC Family Protein RhaS in the Absence of its Effector-Binding Domain. *Journal of Bacteriology*. 189, 14, 4984-4993, 2007. <https://doi.org/10.1128/JB.00530-07>
37. **Fang JW**, Grzymala-Busse JW. Mining Mass Spectrometry Database Search Results—A Rough Set Approach. *RSEISP 2007, LNAI 4585*, 340–349, 2007. https://doi.org/10.1007/978-3-540-73451-2_36
36. Sang Y, Teresa Ortega M, Rune K, Xiau W, Zhang G, Soulages JL, Lushington GH, **Fang JW**, Williams TD, Blecha F, Melgarejo T. Canine cathelicidin (K9CATH): Gene cloning, expression, and biochemical activity of a novel pro-myeloid antimicrobial peptide. *Dev Comp Immunol*. 31, 1278-1296, 2007. <https://doi.org/10.1016/j.dci.2007.03.007>
35. **Fang JW***, Salamat-miller N, Dong YH, Middaugh CR. Prediction of Polyanion Binding Potential in Proteins Using Random Forest. *Proceedings of BIOCOMP'07*, 427-431, 2007.
34. Hanzlik RP*, Koen TM, Theertham B, Dong YH, and **Fang JW**. The Reactive Metabolite Target Protein Database - A Web-Accessible Resource. *BMC Bioinformatics*. 2007, 8:95. <https://doi.org/10.1186/1471-2105-8-95>
33. Li QS, Cai S, Borchardt RT, **Fang JW**, Kuczera K, Middaugh CR, and Schowen RL*. Comparative kinetics of cofactor association and dissociation for the human and trypanosomal S-adenosylhomocysteine hydrolases. 1. Basic features of the association and dissociation processes. *Biochemistry*, 46, 19, 5798-5809, 2007. <https://doi.org/10.1021/bi700170m>
32. Salamat-Miller N, **Fang JW**, Seidel C, Smalter A, Assenov Y, Albrechat M, Middaugh CR*. A Network-Based Analysis of Polyanion Binding Proteins Utilizing Human Protein Arrays. *J. Biol. Chem*. 282, 14, 10153-10163, 2007. <https://doi.org/10.1074/jbc.M610957200>
31. Suprenant KA*, Bloom N, **Fang JW**, Lushington GH. The Major Vault Protein is Related to the Toxic Anion Resistance Protein (TELA) Family. *J. Exp. Biol*. 210, 946-955, 2007. <https://doi.org/10.1242/jeb.001800>

30. Salamat-Miller NS, **Fang JW**, Seidel C, Smalter A, Assenov Y, Albrecht M, Middaugh CR*. A Network-Based Analysis of Polyanion Binding Proteins Utilizing Yeast Protein Arrays. *Molecular and Cellular Proteomics*, 5, 12, 2263-2278, 2006.
<https://doi.org/10.1074/mcp.M600240-MCP200>
29. Rider V*, Isuzugawa K, Twarog M, Jones S, Cameron B, Imakawa K, **Fang JW** . Progesterone Initiates Wnt- β -Catenin Signaling But Estradiol Is Required For Nuclear Activation and Synchronous Proliferation of Rat Uterine Stromal Cells. *J. Endocrinol.* 191(3):537-48, 2006.
<https://doi.org/10.1677/joe.1.07030>
28. **Fang JW**, Grzymala-Busse JW. Leukemia Prediction from Gene Expression Data: A Rough Set Approach. *Lecture Notes in Computer Science*: 4029, 899-908, 2006.
https://doi.org/10.1007/11785231_94
27. **Fang JW**, Grzymala-Busse JW. Mining of MicroRNA Expression Data: A Rough Set Approach. *Lecture Notes in Computer Science*: 4062, 758-765, 2006.
https://doi.org/10.1007/11795131_110
26. **Fang JW***, Dong YH, Lushington GH, Ye QZ, Georg GI. Support Vector Machines in HTS Data Mining: Type I MetAPs Inhibition Study. *J. Biomolecular Screening* 11 (2): 138-144, 2006.
<https://doi.org/10.1177/1087057105284334>
25. Haasl RJ, **Fang JW***. Mining protein-protein interaction data. *Current Bioinformatics* 1, 2: 197-205, 2006. (Invited review). <https://doi.org/10.2174/157489306777011923>
24. **Fang, JW.***; Haasl, R.J.; Dong, Y.H.; Lushington, G. H. Discover protein sequence signatures from protein-protein interaction data. *BMC Bioinformatics* 6: 277, 2005.
<https://doi.org/10.1186/1471-2105-6-277>
23. Gangani DD, Hilliard GH, **Fang JW**, Macha S, and Davidson WS*. A Three Dimensional Molecular Model of Lipid-free Apolipoprotein A-I Determined by Cross-linking/Mass Spectrometry and Sequence Threading. *Biochemistry* 44: 2759-2769, 2005.
<https://doi.org/10.1021/bi047717+>
22. Marchin M, Kelly PT and **Fang JW*** Tracker: continuous HMMER and BLAST searching. *Bioinformatics* 21: 388-389, 2005.
<https://doi.org/10.1093/bioinformatics/bti012>
21. Chen XW*, **Fang JW**, Wang XK. Discovering Transcription Factor Binding Sites in the Yeast *Saccharomyces Cerevisiae*. *Currents in Computational Molecular Biology* 2004, 461.
20. Ram JL, Ritchie RP, **Fang JW**, Gonzales FS, Selegian JP. Sequence-based source tracking of *Escherichia coli* based on genetic diversity of beta-glucuronidase. *J. of Environmental Quality* 33: 1024-1032, 2004.

19. Xian M, Fatima Z, Zhang W, **Fang JW**, Li HF, Pei DH, Loo J, Stevenson T, Wang PG*. Identification of alpha-galactosyl epitope mimetics through rapid generation and screening of C-linked glycopeptide library. *J. Combi. Chem.* 6: 126-134, 2004.
18. Wang JQ, Zhang BY, **Fang JW**, Sujino K, Li H, Otter A, Hindsgaul O, Palcic MM, Wang PG*. Frontal affinity chromatography coupled to mass spectrometry: An effective method for K-d determination and screening of alpha-gal derivatives binding to anti-Gal antibodies (IgG). *J. Carbohydrate Chemistry* 22: 347-376, 2003.
17. Zhang JB, Kowal P, **Fang JW**, Andreana P, Wang PG*. Efficient chemoenzymatic synthesis of globotriose and its derivatives with a recombinant -(14)-galactosyltransferase. *Carbohydrate Research* 337: 969-976, 2002.
16. Chen X, **Fang JW**, Zhang J, Liu ZY, Andreana P, Kowal P, Wang PG*. Sugar nucleotide regeneration beads (superbeads): a versatile tool for practical synthesis of oligosaccharides. *J. Am. Chem. Soc.* 123: 2081-2082, 2001. <https://doi.org/10.1021/ja005738v>
15. **Fang JW**, Wang PG*. Synthesis of alpha-Gal Epitope Derivatives Using a Fusion Enzyme. *Carbohydrate Research* 329: 873-878, 2000. [http://dx.doi.org/10.1016/S0008-6215\(00\)00245-7](http://dx.doi.org/10.1016/S0008-6215(00)00245-7)
14. Chen X, Zhang W, Wang JQ, **Fang JW**, Wang PG*. "Production of alpha-Galatosyl epitopes via combined use of two recombinant whole cells harboring UDP-galactose 4-epimerase and alpha-1,3-galactosyltransferase." *Biotech. Progress* 16: 595-599, 2000.
13. Chen X, Liu Z, Wang J, **Fang JW**, Fan H, Wang PG*. "Changing the donor cofactor bovine alpha 1,3-galactosyltransferase by fusion with UDP-galactose 4-epimerase - More efficient biocatalysis for synthesis of alpha-Gal epitopes." *J. Biol. Chem.* 275: 31594-31600, 2000.
12. Wang JQ, Zhang BY, **Fang JW**, Zhang W, Sujino K, Janczuk A, Qian XP, Chen X, Hindsgaul O, Palcic M, Wang PG*. "Human anti-Gal antibody affinity chromatography with mass spectrometric detection: An efficient method for screening alpha-Gal derivatives." *Biochemistry-US* 39: 156, 2000.
11. Xie WH, **Fang JW**, Li J, Wang PG*. "Lanthanide Triflates Catalyzed Reactions of Imines with Ethyl Diazoacetate: Formation of Aziridines in Protic Media." *Tetrahedron* 55: 12929-12938, 1999.
10. Zhang, W.; Xie, W.H.; **Fang, J.W.**; Wang, P.G*. "Ytterbium (III) Trifluoromethanesulfonate Catalyzed Solid Phase Aza Diels-Alder Reaction and Subsequent Facile Adduct Release." *Tetrahedron Lett.* 55: 12929-12938, 1999.
9. **Fang JW**, Chen X, Zhang W, Wang PG*. Chemoenzymatic Synthesis of alpha-Gal Epitope Derivatives Containing Free Amino Groups: Efficient Separation and Further Manipulation. *J. Org. Chem.* 64: 4089-4094, 1999. <https://doi.org/10.1021/jo990159y>

8. Zhang W, Xie W, **Fang JW**, Wang PG*. "Recent Progresses in Glycochemistry and Green Chemistry." *Current Org. Chem.* 3: 241-267, 1999.
7. Janczuk A, Li J, Zhang W, Chen X, Chen Y, **Fang JW**, Wang J, Wang PG*. "alpha-Gal Oligosaccharides: Chemistry and Potential Biomedical Application." *Current Medicinal Chem.* 6: 155, 1999.
6. Li J, Ksebati MB, Zhang W, Guo Z, Wang J, Yu L, **Fang JW**, Wang PG*. Conformational Analysis of Alpha Galactosyl Epitopes Involved in the Hyperacute Rejection upon Xenotransplantation. *Carbohydr. Res.* 315: 76-88, 1999.
5. **Fang JW**, Li J, Chen X, Zhang Y, Wang J, Guo Z, Brew K, Wang PG*. A Highly Efficient Chemo-Enzymatic Synthesis of alpha-Galactosyl Epitopes with a Recombinant 1,3-Galactosyltransferase. *J. Am. Chem. Soc.* 120: 6635-6638, 1998.
<https://doi.org/10.1021/ja9808898>
4. **Fang JW**, Xie W, Li J, Wang PG*. Chemical and Enzymatic Synthesis of Glycoconjugates 3: Synthesis of Lactosamine by Thermophilic Galactosidase Catalyzed Galactosylation on a Multigram Scale. *Tetrahedron Lett.* 39: 919, 1998. [https://doi.org/10.1016/S0040-4039\(97\)10676-1](https://doi.org/10.1016/S0040-4039(97)10676-1)
3. **Fang JW**, Li ZY*. Chemo-Enzymatic Synthesis of a Four-Chiral-Center Portion of A-23187 (calximycin). *Chinese Chem. Lett.* 8: 111, 1997.
2. Ward OP*, **Fang JW**, Li ZY. Lipase-Catalyzed Synthesis of a Sugar Ester Containing Arachidonic Acid. *Enzyme Microb. Tech.* 20: 52, 1997.
1. **Fang JW**, Li ZY*. Lipase-Catalyzed Double Kinetic Resolution of dl-2,4-Dimethyl-1,5-pentanediol: A Useful Synthone in Natural Product Synthesis. *Chinese Chem. Lett.* 7: 129, 1997.